
NOTICE DATE: January 11, 2017

EFFECTIVE DATE: January 24, 2017

REFERENCE LABORATORY CHANGE

Prostate Specific Antigen, Ultrasensitive

Order Code: MMLR
LOINC: 35741-8
Reference Laboratory: Mayo FPSAS (ARUP 0098581)
New Reference Lab: Mayo PSAU

Mayo Medical Laboratories will begin performing the Prostate-Specific Antigen (PSA), Ultrasensitive assay in-house effective January 24, 2017. This assay is used for monitoring disease after radical prostatectomy; the limit of quantitation for this assay is 0.01 ng/mL. This test should not be used for initial prostate cancer screening.

Collection Instructions: Patient should not take multivitamins or dietary supplements containing biotin or vitamin B7 for 12 hours prior to specimen collection. Collect specimen in an SST or red top tube. Centrifuge, aliquot 0.6 mL (minimum 0.4 mL) of serum into a plastic vial within 2 hours of collection and freeze (preferred) or refrigerate for up to 5 days.

Reference Range: Age <40 yrs: <or= 2.0 ng/mL, 40-49 yrs: <or= 2.5 ng/mL, 50-59 yrs: <or= 3.5 ng/mL, 60-69 yrs: <or= 4.5 ng/mL, 70-79 yrs: <or= 6.5 ng/mL, >or=80 yrs: <or= 7.2 ng/mL.

EFFECTIVE DATE: January 25, 2017

REFERENCE RANGE CHANGE

Arginine Vasopressin

Order Code: AVP
Fee Code: 32043
Reference Laboratory: Mayo AVP (80344)

Please note that the reference range for Mayo Medical Laboratories Arginine Vasopressin assay will be updated as follows effective January 25, 2017.

Reference Range: Adults: <4.3 pg/mL. Reference values were determined on platelet-poor EDTA plasma from individuals fasting no longer than overnight.