
NOTICE DATE: December 21, 2016

EFFECTIVE DATE: December 21, 2016

REFERENCE LABORATORY CHANGE

PM-ScI Antibody

Order Code: MMLR
Reference Laboratory: Mayo FPMSA (57734) (Quest)

New Order Code: SO
New Reference Lab: RDL Reference Laboratories 69

As noted in MLabs Test Update 584, the PM-ScI Antibody assay performed by Quest Diagnostics Nichols Institute, San Juan Capistrano is down effective May 24, 2016, and Mayo Medical Laboratories is forwarding to RDL Reference Laboratories. Effective December 21, 2016, MLabs will send this test directly to RDL Reference Laboratories.

EFFECTIVE DATE: January 17, 2017

REFERENCE RANGE CHANGE

Beta-CrossLaps (Beta CTx), Serum

Order Code: MMLR
LOINC: 41171-0
Fee Code: AA133
Reference Laboratory: Mayo CTX (83175)

Please note the reference range for males aged 18-30 years will be updated effective January 17, 2017.

Reference Range: MALES: <18 yrs: not established; 18-30 yrs: 120 - 946 pg/mL; 31-50 yrs: 93 - 630 pg/mL; 51-70 yrs: 35 - 836 pg/mL; >70 yrs: not established. FEMALES: <18 yrs: not established; Premenopausal: 25 - 573 pg/mL; Postmenopausal: 104 - 1008 pg/mL.

EFFECTIVE DATE: January 20, 2017

REFERENCE RANGE CHANGE

Nickel, Urine

Order Code: NI-U
Fee Code: 32130
Reference Laboratory: Mayo NIU (8626)

Please note the reference range for Mayo Medical Laboratories 24 Hour Urine Nickel assay will be updated as follows effective January 20, 2017:

Reference Range: 0-17 yrs: not established; >or=18 yrs: <3.6 mcg/24h.

EFFECTIVE DATE: January 25, 2017

REFERENCE RANGE CHANGE

Zinc, Urine

Order Code: ZN-U
Fee Code: 22190
Reference Laboratory: Mayo ZNU (8591)

Please note the reference range for Mayo Medical Laboratories 24 Hour Urine Zinc assay will be updated as follows effective January 25, 2017:

Reference Range: 0-17 yrs: not established; >or=18 yrs: ≤967 mcg/24h.

NOTICE DATE: December 21, 2016

TESTS RESUMED

11-Deoxycortisol

Order Code: DOC
Fee Code: 20420
Reference Laboratory: Mayo DOC (8547)
New Reference Lab: Mayo DCORT

Mayo Medical Laboratories will resume the 11-Deoxycortisol, Serum, assay effective January 4, 2017. Note that Mayo test DCORT will replace Mayo test DOC.

Collection Instructions: Collect specimen in a red top or SST tube. Centrifuge, aliquot 0.5 mL of serum into a plastic vial, and refrigerate.

Reference Range: < or =18 years: <344 ng/dL, >18 years: 10-79 ng/dL.

Cyclic AMP, Urinary Excretion

Order Code: CYCLC
Fee Code: 23344
Reference Laboratory: Mayo GRP (8771)

Please note that Mayo Medical Laboratories Cyclic AMP, Urinary Excretion assay has resumed approximately 6 months ago. MLabs did not receive notice of this update.