CLEAN CATCH URINE SPECIMEN COLLECTION INSTRUCTIONS



IMPORTANT NOTE: All specimen containers must be labeled with both the patient's first and last names as well as a second identifier such as the patient's medical record number or date of birth. Containers without two identifiers will be rejected.

A clean-catch urine specimen is a sample of urine. It is necessary when your health care provider wants to test your urine for bacteria, which may be causing an infection in your urinary tract. A clean-catch specimen is a way of collecting urine that does not contain a lot of bacteria from the skin.

Instructions

Please follow these instructions to collect a clean-catch midstream urine specimen:

| FEMALE | | MALE |
|--------|---|---|
| 1. | Ensure urine container is labeled with your full name and medical record number or birthdate. | Ensure urine container is labeled with your full name and medical record number or birthdate. |
| 2. | Wash your hands thoroughly in warm soapy water and dry with a paper towel or allow to air dry. | Wash your hands thoroughly in warm soapy water and dry with a paper towel or allow to air dry. |
| 3. | Remove the urine container cap, taking care not to to the inside of the cap or the inside of the container. | 3. Remove the urine container cap, taking care not to touch the inside of the cap or the inside of the container. |
| 4. | Put the cap on the counter with the inside of the cap face up. | 4. Put the cap on the counter with the inside of the cap face up. |
| 5. | Open towelette. Separate the folds of the urinary opening with fingers and clean inside using one towelette, moving from the front to the back. | Open towelette. Retract foreskin (if present) and use the towelette to clean the entire head of the penis. |
| 6. | Clean one side and discard towelette. | 6. Begin urinating into the toilet. |
| 7. | With a new towelette, clean the center area and discard towelette. | 7. Bring the specimen container into the urine stream and collect a "midstream" specimen. Stop when the container is approximately half full. |
| 8. | With a third new towelette, clean the other side and discard towelette. | 8. Finish urinating in the toilet. |
| 9. | Continue to hold the folds open and begin urinating into the toilet. | Tightly screw the cap on the container taking care not to touch the inside of the cap or the inside of the container. |
| 10. | Bring the specimen container into the urine stream and collect a "midstream" specimen. Stop when the container is approximately half full. | |
| 11. | Finish urinating in the toilet. | |
| 12. | Tightly screw the cap on the container taking care not to touch the inside of the cap or the inside of the container. | |

Questions

Call 800.862.7284 or mlabs.umich.edu