



## **Test Update 749**

**Posted Date** 02/10/2021  
**Effective Date** 03/18/2021  
**Update Type** [Reference range changed](#)  
**CPT Code** 82465 Cholesterol, 83718 HDL

### **TEST CHANGE**

#### **Lipid Panel**

**Order Code:** LIPID  
**CPT Code:** 80061, Reflex 83721

### **AND**

#### **HDL Cholesterol**

**Order Code:** CHDL  
**CPT Code:** 82465 Cholesterol, 83718 HDL

Effective March 18, 2021, MLabs will add non-HDL cholesterol component to both the Lipid Panel (LIPID) and HDL Cholesterol (CHDL) tests.

Reference Range:

#### **Non-HDL Cholesterol for Adults ages 18 and up:**

|                 |                 |
|-----------------|-----------------|
| Desirable       | < 130 mg/dL     |
| Above Desirable | 130 - 159 mg/dL |
| Borderline High | 160 - 189 mg/dL |
| High            | 190 - 219 mg/dL |
| Very High       | ≥ 220 mg/dL     |

**Non-HDL Cholesterol for Children ages 2 - 17 yrs:**

|                 |                 |
|-----------------|-----------------|
| Acceptable      | < 120 mg/dL     |
| Borderline High | 120 - 144 mg/dL |
| High            | ≥ 145 mg/dL     |

[View PDF](#)