



## **Test Update 766**

**Posted Date** 06/09/2021  
**Effective Date** 06/29/2021  
**Test Name** [2,3-Dinor 11Beta-Prostaglandin F2 Alpha, Urine](#)  
**Update Type** [Replacement Test](#)  
**CPT Code** 84150

### **TEST OBSOLETE**

#### **2,3-Dinor 11Beta-Prostaglandin F2 Alpha, Urine**

**Order Code:** 23BPG  
**CPT Code:** 84150  
**Referral Laboratory:** Mayo Medical Laboratories

### **REPLACEMENT TESTS**

#### **2,3-Dinor 11B Prostaglandin F2a, Random Urine**

**Order Code:** 23BPR  
**CPT Code:** 84150, 82570  
**Referral Laboratory:** Mayo Medical Laboratories

### **AND**

#### **2,3-Dinor 11B Prostaglandin F2a, Urine**

**Order Code:** 23BPT  
**CPT Code:** 84150  
**Referral Laboratory:** Mayo Medical Laboratories

Effective June 22, 2021, MLabs will discontinue 2,3-Dinor 11Beta-Prostaglandin F2 Alpha, Urine (23BPG) testing and will replace it with 2,3-dinor 11B Prostaglandin F2a, Random Urine (23BPR) and 2,3-dinor 11B Prostaglandin F2a, Urine (23BPT) per Mayo Medical Laboratories.

**2,3-Dinor 11B  
Prostaglandin F2a,  
Random Urine**

**Specimen:** 5 mL random urine

**Container:** Urine collection tube

**Temperature:** Refrigerated

**Methodology:** Liquid Chromatography-  
Tandem Mass  
Spectrometry (LC-MS/MS)

**Analytic Time:** 2 days; Monday and  
Thursday

**Reference Range:** <1802 pg/mg creatinine

**2,3-Dinor 11B  
Prostaglandin  
F2a, Urine**

**Specimen:** 5 mL 24 Hr urine

**Container:** Urine collection  
tube

**Temperature:** Refrigerated

**Methodology:** Liquid  
Chromatography-  
Tandem Mass  
Spectrometry (LC-  
MS/MS)

**Analytic  
Time:** 2 days; Monday  
and Thursday

**Reference  
Range:** <1802 pg/mg  
creatinine

[View PDF](#)