Test Update 766

Posted Date 06/09/2021
Effective Date 06/29/2021
Test Name 2,3-Dinor 11Beta-Prostaglandin F2 Alpha, Urine
Update Type Replacement Test
CPT Code 84150

TEST OBSOLETE

2,3-Dinor 11Beta-Prostaglandin F2 Alpha, Urine

Order Code: 23BPG

CPT Code: 84150

Referral Laboratory: Mayo Medical Laboratories

REPLACEMENT TESTS

2,3-Dinor 11B Prostaglandin F2a, Random Urine

Order Code: 23BPR

CPT Code: 84150, 82570

Referral Laboratory: Mayo Medical Laboratories

AND

2,3-Dinor 11B Prostaglandin F2a, Urine

Order Code: 23BPT

CPT Code: 84150

Referral Laboratory: Mayo Medical Laboratories

Effective June 22, 2021, MLabs will discontinue 2,3-Dinor 11Beta-Prostaglandin F2 Alpha, Urine (23BPG) testing and will replace it with 2,3-dinor 11B Prostaglandin F2a, Random Urine (23BPR) and 2,3-dinor 11B Prostaglandin F2a, Urine (23BPT) per Mayo Medical Laboratories.

Specimen Requirements

2,3-Dinor 11B Prostaglandin F2a, Random Urine

Specimen:	5 mL random urine
Container:	Urine collection tube
Temperature:	Refrigerated
Methodology:	Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS)
Analytic Time:	2 days; Monday and Thursday
Reference Range:	<1802 pg/mg creatinine

2,3-Dinor 11B Prostaglandin F2a, Urine

Specimen:	5 mL 24 Hr urine
Container:	Urine collection tube
Temperature:	Refrigerated
Methodology:	Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS)
Analytic Time:	2 days; Monday and Thursday
Reference Range:	<1802 pg/mg creatinine

View PDF