



## **Test Update 779**

**Posted Date** 10/13/2021  
**Effective Date** 10/21/2021  
**Test Name** [Iodine, Urine, Random \(Iodine/Creatinine Ratio\)](#)  
**Update Type** [Replacement Test](#)  
**CPT Code** 83789, 82570

### **TEST CHANGE**

#### **Iodine, Urine, Random (Iodine/Creatinine Ratio)**

**Order Code:** ICRU  
**CPT Code:** 83789, 82570  
**Referral Laboratory:** Mayo Medical Laboratories

### **REPLACEMENT TEST**

#### **Iodine/Creat Ratio, Random, U**

**Order Code:** IODCU  
**CPT Code:** 83789, 82570  
**Referral Laboratory:** Mayo Medical Laboratories

Effective October 21, 2021, MLabs will change Iodine, Urine, Random (Iodine/Creatinine Ratio) [ICRU] to Iodine/Creat Ratio, Random, U [IODCU] per Mayo Medical Laboratories.

Collection Instructions: Collect 3 mL of urine in a urine collection container and send it refrigerated.

Methodology: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analytic Time: 1-3 days, test runs M,W,F

Reference Range: 0-17 years: not established

**≥ 18 years: <584 mcg/g creatinine**  
2800 Plymouth Rd, Bldg 55 • Ann Arbor, MI 48107-2800 • 800.862.7284 • 734.936.0755 Fax • [mlabs.umich.edu](http://mlabs.umich.edu)

[View PDF](#)

