



## Test Update 817

**Posted Date** 08/31/2022

**Effective Date** 09/08/2022

**Test Name** [Alkaline Phosphatase](#)

**Update Type** [Reference range changed](#)

### **REVISED REFERENCE RANGES**

Effective September 8, 2022, the MLabs Clinical Core Laboratory will be updating the reference ranges for Anion Gap and Alkaline Phosphatase to reflect the values seen in a normal population post implementation of Atellica CH Analyzers.

### **Alkaline Phosphatase**

Alkaline Phosphatase is a component of the Hepatic Function Panel (order code LIVER) and the Comprehensive Metabolic Panel (order code COMP) and is orderable as an individual test (order code ALK).

### **New Reference Range:**

Male: 1 mo. - 1 year: 120 - 470 IU/L, 1 - 9 years: 140 - 335 IU/L, 10-12 years: 130 - 420 IU/L, 13 - 14 years: 115 - 420 IU/L, 15 - 16 years: 80 - 300 IU/L, 17 - 150 years: 40 - 116.

Female: 1 mo. - 1 year: 120 - 470 IU/L, 1 - 9 years: 140 - 335 IU/L, 10-12 years: 130 - 420 IU/L, 13 - 14 years: 52 - 255 IU/L, 15 - 16 years: 50 - 116 IU/L, 17 - 150 years: 40 - 116.

[View PDF](#)