



Test Update 876

Posted Date 05/08/2024

Effective Date 06/04/2024

Update Type [New Tests](#)

CPT Code 81272, 88381-TC, G0452-26, 88381-26

KIT and PDGFRA Mutation for GIST

Order Code: GISTN

Fee Code: NA128, NA037 (CPT 81272, 88381-TC, G0452-26, 88381-26)

The MLabs Molecular Diagnostics Laboratory will begin offering KIT and PDGFRA Mutation for GIST by Next-Generation Sequencing (NGS) effective June 4, 2024. This test will replace the KIT Mutation - Exons 9, 11, 13, 17 and PDGFRA Mutation for GIST assays.

Collection Instructions: For formalin-fixed, paraffin-embedded tissue, a block containing an area with a high percentage of neoplastic cells (for micro-/macro-dissection) is preferred. Unstained, UNBAKED slides (5-8, 10-micron slides; 10-15 if few neoplastic cells are present) with associated H&E-stained slide are also acceptable. Decalcified tissue or other fixatives will be accepted and the assay attempted; however, these specimens may result in failed testing due to degraded nucleic acid. A Diff-Quik or Papanicolaou stained aspirate smear (preferable containing a high percentage and overall number of neoplastic cells) is also acceptable. Both blocks and slides should be stored at room temperature.

Test Limitations: This test will detect only the mutations within specific gene regions. A negative result does not rule out the presence of a mutation outside of the sequenced regions or a low-level mutation below the sensitivity of detection (approximately 5% variant allele frequency).

[View PDF](#)