



[Test Update 935](#)

Posted Date 12/17/2025

Effective Date 12/17/2025

Update Type [Test Code Change](#)

HLA LABORATORY NEW TEST CODES FOR DISCRETE RESULT REPORTING

The MLabs Histocompatibility (HLA) Laboratory has updated the following test codes to allow discrete data reporting effective December 17, 2025. Also note that all Disease Association testing has moved to a high-resolution testing (NGS) methodology to provide the highest quality test resulting for patients and clinicians.

Test Name	New Test Code	Replaces	Fee Code	CPT Code
HLA High Resolution A Locus	HHRA	ALOC, BSHT	37960	81380
HLA High Resolution B Locus	HHRB	CARB, ABAC, ANKYL, UVEI, BEHC, BLOC	37960	81380
HLA High Resolution C Locus	HHRC	CLOC	37960	81380
HLA High Resolution DRB1 Locus	HDRB1	DRLOC	37961	81382
HLA High Resolution DRw Locus	HR345	345LC	37961	81382
Celiac Disease Panel (High Resolution DQB, DQA)	CELIA	CELI	OA014	81383 x2
Narcolepsy Panel (High Resolution DQB, DQA)	NARCO	NARC	OA014	81383 x2
HLA High Resolution DQB, DQA	DQLOH	DQLOC	OA014	81383 x2
HLA High Resolution DPB, DPA	DPLOH	DPLOC	OA014	81383 x2
HLA Class I Typing High Resolution	HLC1H	HLC1L	OA012	81381 x3
HLA Class II Typing High Resolution	HLC2H	HLC2L	OA013	81383 x6

[View PDF](#)