



Test Update 705

Posted Date 02/27/2020
Effective Date 03/19/2020
Update Type [Test Discontinued](#)
CPT Code 80299, 83520

TEST OBSOLETE

Certolizumab pegol and Certolizumab Antibodies

Order Code: FCERT
CPT Code: 80299, 83520
Referral Laboratory: Mayo Medical Laboratories

Effective March 19, 2020 MLabs will discontinue Certolizumab pegol and Certolizumab Antibodies (FCERT) due to Mayo Medical Laboratories discontinuing the test.

Recommended Test

Certolizumab pegol and Anti-Certolizumab Antibodies, DoseASSURE CTZ

Order Code: FCZAC
Referral Laboratory: Mayo Medical Laboratories

Collection Instructions: Collect approximately 5mL of whole blood in a red top or serum separator tube (SST). Spin and aliquot approximately 3 mL of serum into a plastic vial and freeze.

Methodology: Electrochemiluminescence immunoassay (ECLIA); Surface Plasmon Resonance

Reference Ranges:

Certolizumab: Quantitation Limit: <1.0 ug/mL Results of 1ug/mL or higher indicate detection of Certolizumab.

Anti-Certolizumab Antibody: Quantitation Limit: <40 ng/mL Results of 40 ng/mL or higher indicate detection of Anti-Certolizumab pegol antibodies.

[View PDF](#)