



Test Update 723

Posted Date 07/15/2020

Effective Date 07/15/2020

Update Type [Specimen collection or handling and/or storage changed](#)

CPT Code 86780

Effective July 21, 2020, Syphilis Antibody, IgG (MMLR) test will change per Mayo Medical Laboratories. See below.

Current Reflex Tests				New Reflex Tests			
Test ID	Reporting Name	Available Separately	Always Performed	Test ID	Reporting Name	Available Separately	Always Performed
RPRS	RPR Screen w/ Reflex, S	No	No	RPRS	RPR Screen w/ Reflex, S	No	No
RTPPA	Syphilis Ab, TP-PA, S	Yes (Order TPPA)	No	RTPPA	Syphilis Ab, TP-PA, S	Yes (Order TPPA)	No
RRPRQ	RPR Titer, S	No	No	RRPRQ	RPR Titer, S	No	No
SYPNB	Syphilis Total Ab Bill only 1	No (Bill Only)	No	SYPNB	Syphilis Total Ab Bill only 1	No (Bill Only)	No
SYPPB	Syphilis Total Ab Bill Only 2	No (Bill Only)	No				

Current Algorithm

If syphilis total (SYPHT) is nonreactive, billing will be captured under SYPNB.

New Algorithm

Syphilis total (SYPHT) billing will be captured under SYPNB.

If syphilis total (SYPHT) is reactive or equivocal, then

rapid plasma reagin (RPRS) will be performed.
Billing

will be captured under SYPPB.

If RPRS is reactive, then RPR titer (RRPRQ) will be performed at an additional charge

If RPRS is nonreactive, then syphilis antibody (RTPPA)

will be performed at an additional charge.

If syphilis total (SYPHT) is reactive or equivocal, then

rapid plasma reagin (RPRS) will be performed at an

additional charge.

If RPRS is reactive, then RPR titer (RRPRQ) will be performed at an additional charge.

If RPRS is nonreactive, then syphilis antibody (RTPPA)

will be performed at an additional charge

[View PDF](#)