



## **Test Update 725**

**Posted Date** 07/29/2020

**Effective Date** 08/12/2020

**Update Type** [Replacement Test](#)

**CPT Code** 80307

### **TEST OBSOLETE**

#### **Synthetic Cannabinoid Metabolites Screen - Expanded, Urine**

**Order Code:** FSCMS

**CPT Code:** 80307

**Referral Laboratory:** Mayo Laboratories

### **REPLACEMENT TEST**

#### **Synthetic Cannabinoid Metabolites Screen, Expanded (2019 Scope), Urine**

**Order Code:** FSCMS

**CPT Code:** 80307, reflex 80352

**Referral Laboratory:** Mayo Laboratories

Effective August 27, 2020, MLabs will be discontinuing Synthetic Cannabinoid Metabolites Screen - Expanded, Urine (FSCMS) and replacing the test with Synthetic Cannabinoid Metabolites Screen, Expanded (2019 Scope), Urine per Mayo Medical Laboratories.

Collection Instructions: Please collect 5 mL of random urine without preservatives. Send the specimen refrigerated in a plastic urine container.

Methodology: High Performance Liquid Chromatography/Tandem Mass Spectrometry (LC-MS/MS)

Test Analysis: Mon- Sun 5-9 days

2800 Plymouth Rd, Bldg 35 • Ann Arbor, MI 48109-2800 • 800.862.7284 • 734.936.0755 Fax • [mlabs.umich.edu](http://mlabs.umich.edu)

Reference Range: Reporting Limitation(s) determined each analysis

<b>Test</b>	<b>Result</b>	<b>Units</b>
4-carboxy-AMB-PINACA	None Detected	ng/mL
FUBICA 3,3-dimethylbutanoic acid	None Detected	ng/mL
5-fluoro-PINAC-ACID	None Detected	ng/mL
4-carboxy-CUMYL-BINACA	None Detected	ng/mL
5-fluoro-PIC-ACID	None Detected	ng/mL
FUBIC-ACID	None Detected	ng/mL
5-fluoro-PINACA 3-methylbutanoic acid	None Detected	ng/mL
FUBINACA 3-methylbutanoic acid	None Detected	ng/mL
5-fluoro-PINACA 3,3-dimethylbutanoic acid	None Detected	ng/mL
FUBINACA 3,3-dimethylbutanoic acid	None Detected	ng/mL
CHMINACA-3-methylbutanoic acid	None Detected	ng/mL
4-carboxy-NA-PIM	None Detected	ng/mL
CHMINACA 3,3-dimethylbutanoic acid	None Detected	ng/mL
CHMIC-ACID	None Detected	ng/mL
5-fluoro-PICA 3,3-dimethylbutanoic acid	None Detected	ng/mL

[View PDF](#)