MICHIGAN MEDICINE
UNIVERSITY OF MICHIGAN
LABORATORIES

Test Update 725

Posted Date 07/29/2020
Effective Date 08/12/2020
Update Type Replacement Test
CPT Code 80307

TEST OBSOLETE

Synthetic Cannabinoid Metabolites Screen - Expanded, Urine

Order Code: FSCMS

CPT Code: 80307

Referral Laboratory: Mayo Laboratories

REPLACEMENT TEST

Synthetic Cannabinoid Metabolites Screen, Expanded (2019 Scope), Urine

Order Code: FSCMS

CPT Code: 80307, reflex 80352

Referral Laboratory: Mayo Laboratories

Effective August 27, 2020, MLabs will be discontinuing Synthetic Cannabinoid Metabolites Screen - Expanded, Urine (FSCMS) and replacing the test with Synthetic Cannabinoid Metabolites Screen, Expanded (2019 Scope), Urine per Mayo Medical Laboratories.

Collection Instructions: Please collect 5 mL of random urine without preservatives. Send the specimen refrigerated in a plastic urine container.

Methodology: High Performance Liquid Chromatography/Tandem Mass Spectrometry (LC-MS/MS)

Test Analysis: Mon- Sun 5-9 days

Reference Range: Reporting Limitation(s) determined each analysis

Test	Result	Units
4-carboxy-AMB-PINACA	None Detected	ng/mL
FUBICA 3,3-dimethylbutanoic acid	None Detected	ng/mL
5-fluoro-PINAC-ACID	None Detected	ng/mL
4-carboxy-CUMYL-BINACA	None Detected	ng/mL
5-fluoro-PIC-ACID	None Detected	ng/mL
FUBIC-ACID	None Detected	ng/mL
5-fluoro-PINACA 3-methylbutanoic acid	None Detected	ng/mL
FUBINACA 3-methylbutanoic acid	None Detected	ng/mL
5-fluoro-PINACA 3,3-dimethylbutanoic acid	None Detected	ng/mL
FUBINACA 3,3-dimethylbutanoic acid	None Detected	ng/mL
CHMINACA-3-methylbutanoic acid	None Detected	ng/mL
4-carboxy-NA-PIM	None Detected	ng/mL
CHMINACA 3,3-dimethylbutanoic acid	None Detected	ng/mL
CHMIC-ACID	None Detected	ng/mL
5-fluoro-PICA 3,3-dimethylbutanoic acid	None Detected	ng/mL

View PDF